

### Hand Pallet Trucks

- Full hydraulic system. Bullet connection between steering shaft and pump piston
- Easy to replace the rear wheel
- Easy to maneuver with 210 degrees turning radius
- Special lowering valve to control the rate of descent and over load by-pass valve to make the trucks durable
- Number of pump strokes-10.
- Lift height per stroke: 12 mm
- Reliable oil leak-proof hydraulic system
- With hydraulic foot release, guider wheel, Polyurethane single or double fork rollers

- Effortless pallet Entry/Exit rollers to make it easier to push and pull the pallet truck
- 12 Lubrication grease nipples on all movable parts for easy maintenance
- Adjustable Pump cap ensures a long service life
- Reinforced for added strength load capacity
- Ergonomic Large Rubber handle with three control lever

Part No.	53-0001	53-0002	53-5005
Capacity	2500 kgs	2500 kgs	3000 kgs
Total Lift Height	190 mm (7.5")	190 mm (7.5")	190 mm (7.5")
Lowered Fork Height	75 mm (3")	75 mm (3")	75 mm (3")
Height of Handleless	421.5 mm (16.6")	421.5 mm (16.6")	421.5 mm (16.6")
Fork Length (L)	1220 mm (48")	1220 mm (48")	1220 mm (48")
Width over the forks (W)	685 mm (27")	520 mm (20.5")	685 mm (27")
Steering Wheel	180 mm (7")	180 mm (7")	180 mm (7")
Fork Wheel	74 mm (3")	74 mm (3")	74 mm (3")
Truck Weight	80 kgs	80 kgs	80 kgs



### Hand Pallet Truck With Scale

- Mobile pallet truck with scale combines two major material handling functions. It allows you to weigh the cargo that you want, where you want, and when you want
- Power supply with rechargeable battery or with 86~264V AC input
- Reduce number of operators and save time for maximum efficiency
- Keypad and automatic tare functions
- 1.2 inches, extra-large and bright LED display in solid state and strike-free
- Available in pounds or kilograms
- A/D velocity: 27/s, a faster and more accurate weighing technique
- Various extended functions: weight-checking, counting, etc.
- With foot release, guider wheel, Polyurethane single or double fork rollers

<b>Part No.</b>	<b>53-0011</b>
<b>Capacity</b>	2000 kgs
<b>Total Lift Height</b>	205 mm (8")
<b>Lowered Fork Height</b>	85 mm (3.35")
<b>Height of Handleless</b>	394.5 mm (15.55")
<b>Fork Length (L)</b>	1150 mm (45.3")
<b>Fork Width (W)</b>	705 mm (27.75")
<b>Steering Wheel</b>	160 mm (6.3")
<b>Fork Wheel</b>	70 mm (2.76")
<b>Truck weight</b>	130 kgs



### Rough Terrain Truck

?Specially designed for building sites and other construction use.

<b>Part No.</b>	<b>53-0019</b>
<b>Capacity</b>	1500 kgs
<b>Total Lift Height</b>	240 mm (9.45")
<b>Lowered Fork Height</b>	70 mm (2.76")
<b>Height of Handleless</b>	734 mm (28.9")
<b>Total height</b>	1270 mm (50")
<b>Total width</b>	1605 mm (63")
<b>Fork Length</b>	800 mm (31.5")
<b>Max width of fork</b>	740 mm (29")
<b>Least width of fork</b>	220 mm (8.7")
<b>Steering Wheel</b>	250 mm (9.84")
<b>Fork Wheel</b>	380 mm (15")
<b>Weight</b>	192 kgs



### Stock Carts

- Practical, time saving heavy gauge steel carts for order picking or service work
- Complete with 2 swivel and 2 rigid 5" urethane casters
- Handle mounted on swivel end for increased mobility
- Powder-coat paint finish
- Capacity 500 lbs.
- Steel thickness (2/3/4 mm) and castor size (3"/4"/5") options are available

Part No.	Length	Width	Height	Shelf Clearance	Weight	Thickness
53-2050	36"	18"	34"	23"	52 lbs. ( 23.6 kgs )	3 mm
53-2010	36"	24"	34"	23"	61 lbs. ( 27.7 kgs )	3 mm
53-2025	36"	18"	34"	10-1/4"	68 lbs. ( 30.9 kgs )	3 mm
53-2030	36"	24"	34"	10-1/4"	81 lbs. ( 36.8 kgs )	3 mm



### Folding Aluminum Hand Trolley

- Wheels and plate open with a single grip, due to the folding mechanism
- Foldable design for easy storage and transportation
- Rounded handle for a comfortable grip
- Minimizes heavy Lifting, reduces stresses and strain to the back
- Aluminum construction with sturdy wheels
- Moves light goods easily, great for warehouse, home, garden and office use
- Very easy to handle, with a light weight of only 4.2 kgs

- **Pallet size (approx):**

480 mm (width) x 240 mm (depth)

- **Overall size while extended (approx):**

1000 mm (H) x 460 mm (W) x 420 mm (D)

- **Overall size while folded (approx):**

70 mm (H) x 460 mm (W) x 60 mm (D)

- **Wheel diameter: 175 mm**

- **Capacity: 80 kgs**

**Part No.** 53-2210



### Folding Cart

<b>Part No.</b>	<b>Description</b>
53-2225	25 kgs Capacity Plastic with telescopic Aluminum handle
53-2235	35 kgs Capacity Plastic with telescopic Aluminum handle



### Stackable Storage Bins

- Made of Polypropylene
- Easy, multi-purpose storage solution
- Supplied with stacking pegs and labels
- Stackable design in 6 sizes

Part No.	Width	Depth	Height
53-0311	4-3/4"	7-7/16"	3-5/16"
53-0312	5-7/8"	10-3/8"	4-3/4"
53-0323	8-1/16"	13-7/8"	6-1/8"
53-0324	7-7/8"	18-7/8"	7"
53-0334	11-3/4"	18-7/8"	7"
53-0346	15-3/4"	25"	13-5/8"



53-0334



53-0346



53-0323



53-0324



### Tilt Bins

- Easy, multi-purpose storage solution
- Stackable design that allows them to be stacked, screwed to a wall or attached to a display unit
- Supplied with fastening screws and labels

Part No.	Description	Width	Depth	Height
53-0206	6 compartments	11-13/16"	3-5/8"	9"
53-0208	8 compartments	11-13/16"	2-1/2"	6-5/8"
53-0214	4 compartments	23-5/8"	5-1/4"	6-1/2"
53-0215	5 compartments	23-5/8"	6-5/8"	8-3/16"

53-0215



53-0214



53-0206



53-0208

### Multi-Purpose Bin Box

- Used in automotive and warehouse racks for medium to heavy duty items
- Selection of four lengths for each size: 300 mm, 400 mm, 500 mm, 600 mm
- Highly efficient in storing extras with neat nesting, rational design

Part No.	External Dimension (mm)	Internal Volume	Weight (kgs)	Single load (kgs)	Stack load (kgs)
53-0100	117*300*90	2.0L	0.24	4	16
53-0101	117*400*90	2.7L	0.51	9	36
53-0102	117*500*90	3.5L	0.62	8	32
53-0103	117*600*90	4.2L	0.69	10	40
53-0104	235*300*90	4.4L	0.41	8	32
53-0105	235*400*90	6.0L	0.51	12	48
53-0106	235*500*90	7.5L	0.62	16	60
53-0107	235*600*90	9.4L	0.69	15	60
53-0108	235*300*140	7.1L	0.54	12	48
53-0109	235*400*140	9.9L	0.69	15	60
53-0110	235*500*140	12.6L	0.75	20	80
53-0111	235*600*140	15.4L	0.9	25	100



### Duct Tape

- Professional Quality
- Ideal for sealing, holding, protecting from moisture, temporary repairs, general maintenance and HVAC activities



Part No.	Thickness	Size	Material	Color
55-3010	0.23 mm	2" x 60 Yard	27 Mesh	Sliver Grey

### Flagging Tape

- For surveying, search & rescue, access & trail marking, forestry, environmental studies

#### 1" x 300 ft. roll light duty poly flagging tape

55-3021	Orange	55-3022	Yellow	55-3023	Blue
---------	--------	---------	--------	---------	------

#### 1" x 150 ft. roll medium duty premier flagging tape

55-3031	Fluorescent orange	55-3033	Fluorescent lime	55-3035	Fluorescent red
55-3032	Fluorescent blue	55-3034	Fluorescent pink		

#### 1" x 120 ft. roll arctic flagging tape

55-3041	Fluorescent orange	55-3043	Fluorescent pink	55-3045	Fluorescent green
55-3042	Fluorescent blue	55-3044	Fluorescent yellow		

#### 1" x 300 ft. roll reinforced flagging tape

55-3051	Orange
---------	--------



### Foam Weather Tape

- Used to seal out air, salts, or dust, to reduce vibrations, rattles and is resistant to most chemicals
- It is highly sound damping. It can reduce the mixed noise in opening and closing the doors and windows
- It can also be used for routine gaskets usage applications
- SBR construction
- Black Color

Part No.	Thickness	Size (W*L)	Part No.	Thickness	Size (W*L)
55-3303	5/32"	3/8" x 10 ft.	55-3315	5/32"	3/4" x 10 ft.
55-3305	5/32"	3/8" x 50 ft.	55-3317	5/32"	3/4" x 11 ft.
55-3307	5/16"	3/8" x 10 ft.	55-3319	5/16"	3/4" x 12 ft.
55-3309	5/16"	3/8" x 50 ft.	55-3321	5/16"	3/4" x 13 ft.
55-3311	7/16"	3/8" x 10 ft.	55-3323	7/16"	3/4" x 14 ft.
55-3313	7/16"	3/8" x 50 ft.	55-3325	7/16"	3/4" x 15 ft.



### Foam Pipe Tape

- Applicable for pipeline freezing resistance, insulation and decoration
- With powerful adhesion and moderate thickness

Part No.	Thickness	Size	Color	Material
55-3350	3 mm	50 mm x 10m	Black	EVA



# Material Handling, Storage, & Packaging

## Packaging

### Polypropylene Packing Tape

- Thickness: 0.04 +- 0.001 mm
- Size: 48 mm X 100 M

Part No.	Color
53-2605	Clear
53-2606	Yellow



### Stretch Film - LDPE

- Clear White
- Size/Roll : 20 um x 450 mm x 450m
- Weight/Roll: 3.767 kgs

Part No.
53-2505



### Reusable Poly Bags with Zipper Line Closure

- Handy reusable poly bags with a zipper line closure
- Available in two thicknesses, 2 mil or 4 mil
- Choose from 2 styles - Clear bags or with a white patch for marking with a marker, pen, or grease pencil

- Clear      • 2mil

Part No.	Size	Part No.	Size	Part No.	Size
53-0722	2" x 3"	53-0730	4" x 6"	53-0738	9" x 12"
53-0724	3" x 4"	53-0732	5" x 8"	53-0740	10" x 13"
53-0726	3" x 5"	53-0734	6" x 9"	53-0742	12" x 15"
53-0728	4" x 4"	53-0736	8" x 10"		



- Clear      • 4mil

Part No.	Size	Part No.	Size	Part No.	Size
53-0762	2" x 3"	53-0772	5" x 8"	53-0778	9" x 12"
53-0766	3" x 5"	53-0774	6" x 9"	53-0782	12" x 15"
53-0770	4" x 6"	53-0776	8" x 10"		

- With White Write-On Patch      • 2mil

Part No.	Size	Part No.	Size	Part No.	Size
53-0822	2" x 3"	53-0830	4" x 6"	53-0836	8" x 10"
53-0824	3" x 4"	53-0832	5" x 8"	53-0838	9" x 12"
53-0826	3" x 5"	53-0834	6" x 9"	53-0842	12" x 15"



- With White Write-On Patch      • 4mil

Part No.	Size	Part No.	Size	Part No.	Size
53-0870	4" x 6"	53-0874	6" x 9"	53-0878	9" x 12"

### Poly Parts Bags

Part No.	Description
53-0702	Case of 2000 6" x 9" parts bags
53-0704	Case of 1000 9" x 12" parts bags
53-0706	Case of 1000 10" x 15" parts bags



# Material Handling, Storage, & Packaging

## Packaging

### Steel & Poly Strapping

#### Steel Strapping, Seals, & Accessories

- Steel Strapping
- Painted Zinc finish
- Open seals used to clamp steel strapping come in three sizes
- Tensile Strength & Extension: 800N / 3-6%
- 40-45 kgs / roll

Part No.	Description
----------	-------------

53-0503	Roll of 1/2" steel strapping
53-0505	Roll of 5/8" steel strapping
53-0507	Roll of 3/4" steel strapping
53-0513	Box of 2000, 1/2" I.D. open seals
53-0515	Box of 2000, 5/8" I.D. open seals
53-0517	Box of 2000, 3/4" I.D. open seals
53-0523	1/2" steel banding crimper
53-0525	5/8" steel banding crimper
53-0527	3/4" steel banding crimper
53-0535	Steel banding tensioner - accepts 3/8" to 3/4" strap
53-0536	Steel banding cutter - accepts 3/8" to 3/4" strap



#### Poly Strapping, Buckles, & Accessories

- Polypropylene strapping comes in 1/2" width. Use buckles for clamping the strapping.

<b>Part No.</b>	53-0552	53-0553
<b>Length:</b>	1180 ± 40 M (3871 ft ± 131 ft)	1180 ± 40 M (3871 ft ± 131 ft)
<b>Width:</b>	1/2"	1/2"
<b>Thickness:</b>	0.98 ± 0.05 m/m (7.2-7.4 G/M)	0.98 ± 0.05 m/m (7.2-7.4 G/M)
<b>Strength:</b>	210-230 kgs	180 kgs
<b>Weight:</b>	10 kgs / roll	10 kgs / roll
<b>Core:</b>	200 Ø*190	200 Ø*190
<b>Color:</b>	Yellow	Silver or Black

53-0563	Box of 1000, 1/2" wide heavy duty wire metal buckle for PP, PET, & Cord strapping
53-0585	Poly strap tensioner w/ cutter - accepts 1/2" to 3/4" straps



#### Dispenser for Poly/Steel Strapping

- Portable strapping dispenser with tool tray
- Accepts 8" core poly strapping or 16" core steel strapping.

<b>Part No.</b>	53-0595
-----------------	---------

